



Production Car Care Products

Office (209) 943-7337

www.msdsatproduction.com

SAFETY DATA SHEET

FILE NO.: 146 SDS DATE: August 27, 2018

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Auto Jet Wax™
SYNONYMS: N/A
PRODUCT CODES:

MANUFACTURER: Production Car Care Products
DIVISION: N/A
ADDRESS: 1000 East Channel Street
Stockton, CA 95205

EMERGENCY PHONE: CANUTEC: (613) 996-6666
CHEMTREC PHONE: (800) 424-9300
OTHER CALLS: Office (209) 943-7337
FAX PHONE: (209) 943-7337

SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:
ROUTES OF ENTRY: Ingestion, Inhalation, Skin

POTENTIAL HEALTH EFFECTS

EYES: Irritation. High conc.: Possible corneal burns..

SKIN: Butyl Cellosolve can penetrate skin. Symptoms similar to material ingestion.

INHALATION: Irritation to nose, throat, respiratory tract. High conc.: Headaches, drowsiness, dizziness, nausea, vomiting, malaise.

INGESTION: Moderately toxic, may cause headache, nausea, vomiting, cramps, diarrhea, weakness, hemolysis of the red blood cells and possible liver & kidney injury

ACUTE HEALTH HAZARDS: Repeated overexposure to Butyl Cellosolve may cause hemolysis of the red blood cells, leading to possible liver and kidney damage.

CHRONIC HEALTH HAZARDS: N/A.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Existing condition of dermatitis may be aggravated by the irritation and defatting properties of Butyl Cellosolve in product.





CARCINOGENICITY

OSHA: 400 ppm, 25 ppm

ACGIH: 400 ppm, 25 ppm

NTP: N/L

IARC: N/L

OTHER:

SECTION 2 NOTES: N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:Isopropyl Alcohol (CH₃)₂CHOH;
2-Propanol, dimethyl carbinol; Isohol

2-Butoxyethanol

CAS NO.

67-63-0

111-76-2

% WT

N/L

N/L

SARA 313 REPORTABLE

N/L

N/L

OSHA PEL:

400 ppm

25 ppm (skin)

ACGIH TLV

400 ppm

25 ppm (skin)

NTP

N/L

N/L

IARC

N/L

N/L

OSHA 1910 (Z)

N/R

N/R

EHS

No

No

LD50

rat-5840 mg/kg

N/A

LC50

rat-16000 ppm/8H

N/A

SECTION 3 NOTE: *TWA: Time weighted average concentration of chemical for a normal 8-hour workday and 40 hour week to which nearly all workers are exposed with no adverse effects.

SECTION 4: FIRST AID MEASURES

EYES: Flush with water.**SKIN:** Wash with soap and water.**INGESTION:** Do not induce vomiting.**INHALATION:** Remove to fresh air.**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** N/A

SECTION 4 NOTES: CALL DOCTOR FOR 1, 2 and 3.

SECTION 5: FIRE-FIGHTING MEASURES

METHOD USED:

FLASH POINT: 110 ° F (TCC).

AUTO IGNITION TEMPERATURE: N/D

EXTINGUISHING MEDIA: Regular foam, Carbon dioxide or dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Residue may ignite-Vapor may travel.

SECTION 5 NOTES: N/A.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Absorb with sand or absorbent material. Prevent runoff to sewer or surface water.

SECTION 6 NOTES: N/A

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Keep product closed - Store away from heat or flame. **OTHER PRECAUTIONS:** Use with adequate ventilation. Keep away from children. **SECTION 7 NOTES:** N/A.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

VENTILATION: Avoid using in closed area.

RESPIRATORY PROTECTION: Should wear if OSHA PEL/TLV is exceeded NIOSH/MSHA or other recognized approved air-supplied respirator.

EYE PROTECTION: Safety Spectacles.

SKIN PROTECTION: Protective gloves normally not needed.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Normally not needed.

WORK HYGIENIC PRACTICES: No eating, drinking or smoking. Wash up after use.

EXPOSURE GUIDELINES: N/A

SECTION 8 NOTES: N/A.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Thin liquid, yellowish brown in color.

ODOR: Almond-like odor.

PHYSICAL STATE: Liquid.

pH AS SUPPLIED: N/D

pH (Other):

BOILING POINT: N/D

F:

C:

MELTING POINT: N/D

F:

C:

FREEZING POINT: N/D

F:

C:

VAPOR PRESSURE (mmHg):

@ N/D

F:

C:

VAPOR DENSITY (AIR = 1):

@

F:

C:

SPECIFIC GRAVITY: (H₂O = 1)

@ 0.975

F:

C:

EVAPORATION RATE: (Butyl
Acetate=1) N/D

BASIS (=1): N/D

SOLUBILITY IN WATER: Soluble in water.

SECTION 10: STABILITY AND REACTIVITY

STABLE

X

UNSTABLE

STABILITY: Stable

CONDITIONS TO AVOID (STABILITY): N/d.

INCOMPATIBILITY (MATERIAL TO AVOID): Alkalis concentrated nitric and sulfuric acids, strong oxidizer, aldehydes and halogen compounds.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon Dioxide, Carbon Monoxide.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID (POLYMERIZATION): N/A.

SECTION 10 NOTES: N/A

SECTION 11: TOXICOLOGICAL INFORMATION

OVER EXPOSURE: Repeated overexposure to Butyl Cellosolve may cause hemolysis of the red blood cells, leading to possible liver and kidney damage.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Product is a mixture of listed components.

SECTION 12 NOTES: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: In accordance with Local, State and federal regulations.

RCRA HAZARD CLASS: N/D

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: Combustible Liquid, N.O.S., (Contains Isopropyl Alcohol), NA 1993, PG
III HAZARD CLASS:

ID NUMBER:
PACKING GROUP:
LABEL STATEMENT:

WATER TRANSPORTATION

PROPER SHIPPING NAME:
HAZARD CLASS:
ID NUMBER:
PACKING GROUP:
LABEL STATEMENTS:

AIR TRANSPORTATION

PROPER SHIPPING NAME:
HAZARD CLASS:
ID NUMBER:
PACKING GROUP:
LABEL STATEMENTS:

OTHER AGENCIES:

SECTION 14 NOTES:

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT):

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

311/312 HAZARD CATEGORIES:

313 REPORTABLE INGREDIENTS:

STATE REGULATIONS:

INTERNATIONAL REGULATIONS:

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER: The information contained herein is based on data considered accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for personal injury or property damage to vendees, users or third parties caused

by the material. We also do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.