



Production Car Care Products  
Office (209) 943-7337  
[www.msdsatproduction.com](http://www.msdsatproduction.com)

## SAFETY DATA SHEET

FILE NO.: 27      SDS DATE: August 24, 2018

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

---

PRODUCT NAME: Clear Motor Glaze™  
SYNONYMS: N/A  
PRODUCT CODES:

MANUFACTURER: Production Car Care Products  
DIVISION: N/A  
ADDRESS: 1000 East Channel Street  
Stockton, CA 95205

EMERGENCY PHONE: CANUTEC: (613) 996-6666  
CHEMTREC PHONE: (800) 424-9300  
OTHER CALLS: Office (209) 943-7337  
FAX PHONE: (209) 943-7337

SECTION 1 NOTES:

### SECTION 2: HAZARDS IDENTIFICATION

---

EMERGENCY OVERVIEW:  
ROUTES OF ENTRY: Inhalation, Ingestion, Skin

POTENTIAL HEALTH EFFECTS

EYES: Irritation, redness, tearing, blurred vision, corneal burns.

SKIN: Irritation, drying, cracking, defatting, dermatitis.

INGESTION: Irritation, nausea, vomiting, diarrhea, death.

INHALATION: Nasal, respiratory irritation, dizziness, fatigue, nausea, headache, asphyxiation.

ACUTE HEALTH HAZARDS: Irritation of eyes and skin.

CHRONIC HEALTH HAZARDS: Death.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Poor general health.





**CARCINOGENICITY**

OSHA: 300 ppm, 300 ppm, 200 ppm, 100 ppm

ACGIH: 300 ppm, 300 ppm, 100 ppm, 100 pp

NTP: N/L

IARC: N/L

OTHER:

SECTION 2 NOTES: N/A

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**INGREDIENT:**

Light Petroleum Naphtha

VM & P Naphtha

Toluene

\*Xylene

**CAS NO.**

64742-89-8

8030-30-6

108-88-3

1330-20-7

**% WT**

N/L

N/L

N/L

N/L

**SARA 313 REPORTABLE**

N/L

N/L

N/L

N/L

**OSHA PEL:**

300 ppm

300 ppm

200 ppm

100 ppm

**ACGIH TLV**

300 ppm

300 ppm

100 ppm

100 ppm

**NTP**

N/L

N/L

N/L

N/L

**IARC**

N/L

N/L

N/L

N/L

**OSHA 1910 (Z)**

N/L

N/L

N/L

N/L

**EHS**

N/L

N/L

N/L

N/L

**LD50**

(Oral)

.

.

.

.

Rat-5000 mg/kg

.

**LC50**

(Inhalation)

mouse-5320 ppm/8H

rat-6700 ppm/8H

SECTION 3 NOTE: \*Chemicals subject to SARA title III, section 313 reporting. This notification must not be detached from SDS, and any copies of this SDS must include this notification.

---

**SECTION 4: FIRST AID MEASURES**

---

**EYES:** Flush with large quantities of water lifting upper and lower eye lid.

**SKIN:** Wash thoroughly with soap and water after removing contaminated clothing.

**INGESTION:** Do not induce vomiting. Aspiration of Xylene in lungs can cause fatal pneumonitis.

**INHALATION:** Remove to fresh air. If necessary give oxygen and/or artificial respiration.

**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** N/A

**SECTION 4 NOTES:** N/A

---

**SECTION 5: FIRE-FIGHTING MEASURES**

---

**METHOD USED:** Fire extinguisher

**FLASH POINT:** 65 °F (TTC)

**AUTO IGNITION TEMPERATURE:** N/D

**EXTINGUISHING MEDIA:** Regular foam, Carbon Dioxide, or Dry Chemical.

**SPECIAL FIRE FIGHTING PROCEDURES:** Use self-contained breathing apparatus.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Residue may ignite – vapor may travel.

**SECTION 5 NOTES:** N/A

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

---

**ACCIDENTAL RELEASE MEASURES:** If spilled absorb with sand or absorbent material and prevent runoff to sewer or surface water.

Make sure to avoid using this product in an in closed area.

**SECTION 6 NOTES:** N/A

---

**SECTION 7: HANDLING AND STORAGE**

---

**HANDLING AND STORAGE:** Keep product closed. Store away from heat or flame.

**OTHER PRECAUTIONS:** Keep out of reach of children. Handle as flammable liquid.

**SECTION 7 NOTES:** N/A

---

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**ENGINEERING CONTROLS:**

**VENTILATION:** Avoid using in closed area.

**RESPIRATORY PROTECTION:** Should wear if OSHA PEL/TLV is exceeded NIOSH/MSHA or other recognized approved air-supplied respirator.

EYE PROTECTION: Safety spectacles

SKIN PROTECTION: Protective gloves required.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Respiratory equipment.

WORK HYGIENIC PRACTICES: No eating, drinking or smoking. Wash up after use.

EXPOSURE GUIDELINES: N/A

SECTION 8 NOTES: N/A.

---

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

APPEARANCE: Thin liquid, light yellowish.

ODOR: Petroleum-like odor.

PHYSICAL STATE: Liquid

pH AS SUPPLIED: N/D

pH (Other):

BOILING POINT: N/D

F:

C:

MELTING POINT: N/D

F:

C:

FREEZING POINT: N/D

F:

C:

VAPOR PRESSURE (mmHg): N/D

@

F:

C:

VAPOR DENSITY (AIR = 1): N/D

@

F:

C:

SPECIFIC GRAVITY: (H<sub>2</sub>O = 1)

@ >1

F:

C:

EVAPORATION RATE: (Butyl Acetate = 1)

BASIS (=1): N/D

SOLUBILITY IN WATER: Not soluble in water.

---

#### SECTION 10: STABILITY AND REACTIVITY

---

STABLE  
X

UNSTABLE

STABILITY: Stable

CONDITIONS TO AVOID (STABILITY): Heat & flame.

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizing materials.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon Dioxide, Carbon Monoxide and possible Acrolin.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID (POLYMERIZATION): Heat & flame.

SECTION 10 NOTES: N/A

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

---

OVER EXPOSURE: Irritation of eyes and skin.

---

**SECTION 12: ECOLOGICAL INFORMATION**

---

ECOLOGICAL INFORMATION: Product is a mixture of listed components.

SECTION 12 NOTES: N/A

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

---

WASTE DISPOSAL METHOD: In accordance with Local, State and federal regulations.

RCRA HAZARD CLASS: N/D

---

**SECTION 14: TRANSPORT INFORMATION**

---

**U.S. DEPARTMENT OF TRANSPORTATION**

PROPER SHIPPING NAME: Paint Related Material, 3, UN 1263, PG II

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENT:

**WATER TRANSPORTATION**

PROPER SHIPPING NAME:

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

**AIR TRANSPORTATION**

PROPER SHIPPING NAME:

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

OTHER AGENCIES:

SECTION 14 NOTES:

---

**SECTION 15: REGULATORY INFORMATION**

---

**U.S. FEDERAL REGULATIONS**

TSCA (TOXIC SUBSTANCE CONTROL ACT):

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

311/312 HAZARD CATEGORIES:

313 REPORTABLE INGREDIENTS:

Chemicals subject to SARA Title III, Section 313 reporting.  
Xylene, CAS: 1330-20-7

STATE REGULATIONS:

INTERNATIONAL REGULATIONS:

SECTION 15 NOTES:

---

**SECTION 16: OTHER INFORMATION**

---

OTHER INFORMATION:

PREPARATION INFORMATION:

**DISCLAIMER:** The information contained herein is based on data considered accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for personal injury or property damage to vendees, users or third parties caused by the material. We also do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.