



Production Car Care Products

Office (209) 943-7337

www.msdsatproduction.com

SAFETY DATA SHEET

FILE NO.: 40 SDS DATE: August 24, 2018

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Friction Glaze™
SYNONYMS: N/A
PRODUCT CODES:

MANUFACTURER: Production Car Care Products
DIVISION: N/A
ADDRESS: 1000 East Channel Street
Stockton, CA 95205

EMERGENCY PHONE: CANUTEC: (613) 996-6666
CHEMTREC PHONE: (800) 424-9300
OTHER CALLS: Office (209) 943-7337
FAX PHONE: (209) 943-7337

SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:
ROUTES OF ENTRY: Inhalation, Ingestion, Skin

POTENTIAL HEALTH EFFECTS

EYES: Irritation.

SKIN: Moderate irritation.

INGESTION: Nausea, vomiting, diarrhea.

INHALATION: Can cause dizziness, nausea and headache.

ACUTE HEALTH HAZARDS: EYES: Irritation. SKIN: Moderate irritation. INGESTION: Nausea, vomiting, diarrhea.
INHALATION: Can cause dizziness, nausea and headache.

CHRONIC HEALTH HAZARDS: Contains Crystalline Silica which is considered to be hazardous by inhalation. It is listed as a carcinogen for humans (Group1) by IARC and a substance reasonably anticipated to be a carcinogen by NTP. Crystalline Silica is known to cause silicosis.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Poor general health. Pre-existing upper respiratory and lung diseases (i.e. bronchitis, emphysema, asthma, etc.)



CARCINOGENICITY

OSHA: 100 ppm, 0.05 mg/m³

ACGIH: 100 ppm, 0.05 mg/m³

NTP: N/L

IARC: N/L

OTHER:

SECTION 2 NOTES: N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:

Petroleum Distillates
Diatomaceous Earth

<u>CAS NO.</u>	<u>% WT</u>	<u>SARA 313 REPORTABLE</u>
8052-41-3	11-30	N/A
68855-54-9	11-30	N/A
<u>OSHA PEL:</u>	<u>ACGIH TLV</u>	<u>NTP</u>
100 ppm	100 ppm	N/L
0.05 mg/m ³ (Respirable Dust)	0.05 mg/m ³ (Respirable Dust)	Yes
<u>IARC</u>	<u>OSHA 1910 (Z)</u>	<u>EHS</u>
N/L	N/L	No
Yes	Yes	No
<u>LD50</u>	<u>LC50</u>	
N/L	N/L	
N/A	N/A	

SECTION 3 NOTE: This product contains ingredients that are specifically added to the formulation to retard and control air borne dust, dirt and oxidized paint particles. However, users should wear NIOSH/MSHA or other OSHA recognized approved respirator/particle dust mask when spurring buffing pads and/or using any buffing compounds or chemicals.

SECTION 4: FIRST AID MEASURES

EYES: Flush with water for at least 15 minutes.

SKIN: Wash with soap and water.

INGESTION: Do not induce vomiting.

INHALATION: Remove to fresh air.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: N/A

SECTION 4 NOTES: N/A

SECTION 5: FIRE-FIGHTING MEASURES

METHOD USED:

FLASH POINT: 121 °F (TTC)

AUTO IGNITION TEMPERATURE: N/D

EXTINGUISHING MEDIA: Regular foam, Carbon Dioxide, or dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained Breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Residue may ignite – Vapor may travel.

SECTION 5 NOTES: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: If spilled absorb with sand or absorbent material and prevent runoff to sewer or surface water. Make sure to avoid using this product in an in closed area.

SECTION 6 NOTES: N/A

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Keep product closed – store away from heat or flame.

OTHER PRECAUTIONS: Keep out of reach of children. Handle as combustible liquid.

SECTION 7 NOTES: N/A.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

VENTILATION: Avoid using in closed area.

RESPIRATORY PROTECTION: Should wear if OSHA PEL/TLV is exceeded NIOSH/MSHA or other recognized approved air-supplied respirator.

EYE PROTECTION: Safety spectacles

SKIN PROTECTION: Gloves not normally needed.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Not normally needed.

WORK HYGIENIC PRACTICES: No eating, drinking or smoking. Wash up after use.

EXPOSURE GUIDELINES: N/A

SECTION 8 NOTES: N/A.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Thick liquid, white in color.

ODOR: Pleasant almond like - odor.

PHYSICAL STATE: Liquid

pH AS SUPPLIED: N/A

pH (Other):

BOILING POINT: N/D

F: >210°F

C: >98.8°C

MELTING POINT: N/D

F:

C:

FREEZING POINT: N/D

F:

C:

VAPOR PRESSURE (mmHg):

@ N/D

F:

C:

VAPOR DENSITY (AIR = 1):

@ N/D

F:

C:

SPECIFIC GRAVITY: (H₂O = 1)

@ 1.122

F:

C:

EVAPORATION RATE: (Butyl Acetate=1)

N/D

BASIS (=1): N/D

SOLUBILITY IN WATER: Dilutes.

SECTION 10: STABILITY AND REACTIVITY

STABLE
X

UNSTABLE

STABILITY: Stable

CONDITIONS TO AVOID (STABILITY): N/A.

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon Dioxide, Carbon monoxide.

HAZARDOUS POLYMERIZATION: N/A.

CONDITIONS TO AVOID (POLYMERIZATION): Heat or flame.

SECTION 10 NOTES: N/A

SECTION 11: TOXICOLOGICAL INFORMATION

OVER EXPOSURE: Irritation of eyes, skin & throat.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Product is a mixture of listed components.

SECTION 12 NOTES: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: In accordance with Local, State and federal regulations.

RCRA HAZARD CLASS: N/D

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: Combustible Liquid, N.O.S., (Contains Petroleum Distillates), NA 1993, PG III

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENT:

WATER TRANSPORTATION

PROPER SHIPPING NAME:

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

AIR TRANSPORTATION

PROPER SHIPPING NAME:

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

OTHER AGENCIES:

SECTION 14 NOTES:

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT):

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

311/312 HAZARD CATEGORIES:

313 REPORTABLE INGREDIENTS:

STATE REGULATIONS:

INTERNATIONAL REGULATIONS:

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER: The information contained herein is based on data considered accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for personal injury or property damage to vendees, users or third parties caused by the material. We also do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.