



Production Car Care Products

Office (209) 943-7337

[www.msdsatproduction.com](http://www.msdsatproduction.com)

## SAFETY DATA SHEET

FILE NO.: 45      SDS DATE: August 24, 2018

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

---

PRODUCT NAME: Gloss Black Aerosol Paint  
SYNONYMS: N/A  
PRODUCT CODES:

MANUFACTURER: Production Car Care Products  
DIVISION: N/A  
ADDRESS: 1000 East Channel Street  
Stockton, CA 95205

EMERGENCY PHONE: CANUTEC: (613) 996-6666  
CHEMTREC PHONE: (800) 424-9300  
OTHER CALLS: Office (209) 943-7337  
FAX PHONE: (209) 943-7337

#### SECTION 1 NOTES:

---

### SECTION 2: HAZARDS IDENTIFICATION

---

EMERGENCY OVERVIEW:  
ROUTES OF ENTRY: Ingestion & Inhalation

#### POTENTIAL HEALTH EFFECTS

EYES: Irritation.

SKIN: Irritation.

INHALATION: Inhalation: Irritation of the respiratory; may affect the brain or nervous system causing dizziness, headache, nausea, weakness and fatigue. Extreme exposure can result in unconsciousness and even respiratory arrest.

INGESTION: Can cause stomach and/or intestinal irritation, nausea, vomiting, diarrhea. Aspiration of vomitus can cause chemical pneumonitis, which can be fatal. METHYLENE CHLORIDE is metabolized by the body to carbon monoxide which reduces the blood's oxygen carrying capacity. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Prolonged and repeated breathing of spray mist and/or sanding dust over a period of years may cause dust disease of the lungs. NTP has classified METHYLENE CHLORIDE as a carcinogenic in rats and mice at high levels of exposure to vapors throughout their lifetime. The U.S. Consumer Product Safety Commission considers METHYLENE CHLORIDE to be a probable human carcinogen. ACGIH lists METHYLENE CHLORIDE as a suspect human carcinogen. METHYLENE CHLORIDE is known to the state of California to cause cancer. Risk depends on duration and level of exposure.

ACUTE HEALTH HAZARDS: Can cause irritation, nausea, vomiting, diarrhea.

CHRONIC HEALTH HAZARDS: unconsciousness and even respiratory arrest, can be fatal.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None when used in section X Control measures.



**CARCINOGENICITY**

OSHA: 100 ppm or 375 mg/M<sup>3</sup>, 500 ppm or 2000 mg/M<sup>3</sup>, 500 ppm or 2000 mg/M<sup>3</sup> ACGIH: 100 ppm or 375 mg/M<sup>3</sup>, 500 ppm or 2000 mg/M<sup>3</sup>, 500 ppm or 2000 mg/M<sup>3</sup>

NTP: N/L

IARC: N/L

OTHER:

SECTION 2 NOTES: N/A

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**INGREDIENT:**

Toluene  
Methylene Chloride  
Propane/Isobutane  
VM & P Naptha

<u>CAS NO.</u>	<u>% WT</u>	<u>SARA 313 REPORTABLE</u>
111-42-2	5	N/A
805-30-7	40	N/A
26545-53-9	30	N/A
67-63-0	5	N/A
141-43-5		

<u>OSHA PEL:</u>	<u>ACGIH TLV</u>	<u>NTP</u>
100 ppm or 375 mg/M <sup>3</sup>	100 ppm or 375 mg/M <sup>3</sup>	N/A
500 ppm or 2000 mg/M <sup>3</sup>	500 ppm or 2000 mg/M <sup>3</sup>	N/A
N/A	N/A	N/A
500 ppm or 2000 mg/M <sup>3</sup>	500 ppm or 2000 mg/M <sup>3</sup>	N/A

<u>IARC</u>	<u>OSHA 1910 (Z)</u>	<u>EHS</u>
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

**LD50**  
(oral-rat)  
5000 mg/kg  
N/A  
N/A  
N/A

**LC50**  
(inhalation-mouse)  
5320 ppm/8HN/A  
N/A  
N/A  
N/A

SECTION 3 NOTE: N/A

---

---

**SECTION 4: FIRST AID MEASURES**

---

**EYES:** Flush with water for 15 minutes.

**SKIN:** Remove contaminated clothing, wash with soap and water. Get medical attention if irritation persists.

**INGESTION:** Do not induce vomiting. Aspiration of vomitus can cause chemical pneumonitis which can be fatal.

**INHALATION:** Remove to fresh air, if necessary administer oxygen and/or artificial respiration.

**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** N/A

SECTION 4 NOTES: N/A

---

**SECTION 5: FIRE-FIGHTING MEASURES**

---

**METHOD USED:**

**FLASH POINT:** None.

**AUTO IGNITION TEMPERATURE:** N/D

**EXTINGUISHING MEDIA:** Regular foam, Carbon Dioxide or dry chemical.

**SPECIAL FIRE FIGHTING PROCEDURES:** Use self-contained breathing apparatus.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None.

SECTION 5 NOTES: N/A

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

---

**ACCIDENTAL RELEASE MEASURES:** Absorb with sand or absorbent material. Prevent runoff to sewer or surface water.

SECTION 6 NOTES: N/A

---

**SECTION 7: HANDLING AND STORAGE**

---

**HANDLING AND STORAGE:** Keep away from heat, sparks, and flame. Do not smoke. Extinguish all pilot lights and turn off all sources of ignition including heaters, fans and other non-explosion-proof electrical equipment, during use and until all vapors are gone. Vapors may ignite explosively or cause flash fire. Vapors may spread long distances and beyond closed doors. Prevent build-up of vapors by maintaining continuous flow of fresh air. **DANGER:** Extremely flammable liquid and vapor. Contents under pressure. Exposure to heat or prolonged exposure to sun may cause bursting. Do not puncture, incinerate (burn) or store above 120 °F. Do not place in garbage compactors. Do not store above 120 °F or near fire or open flame. Store large quantities in building designed to comply with OSHA 1910.106. Keep container closed when not in use. Do not transfer contents to bottles or other unlabeled containers. Do not reuse empty containers.

**OTHER PRECAUTIONS:** Keep out of reach of children. Pending government agencies review, it is recommended that individual exposure to Methylene Chloride, including short term concentration peaks, be reduced to the lowest levels feasible by utilizing good industrial hygiene practices. **Warning:** This product contains a chemical known to the state of California to cause cancer, birth defects or other reproductive harm.

**SECTION 7 NOTES:** N/A.

---

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**ENGINEERING CONTROLS:**

**VENTILATION:** Avoid using in closed area.

**RESPIRATORY PROTECTION:** Should wear if OSHA PEL/TLV is exceeded NIOSH/MSHA or other recognized approved air-supplied respirator.

**EYE PROTECTION:** Safety spectacles.

**SKIN PROTECTION:** Protective gloves required.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Solvent impermeable clothing and boots to prevent contact are recommended.

**WORK HYGIENIC PRACTICES:** No eating, drinking or smoking. Wash up after use.

**EXPOSURE GUIDELINES:** N/A

**SECTION 8 NOTES:** N/A.

---

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

---

**APPEARANCE:** N/A.

**ODOR:** coconut like odor.

**PHYSICAL STATE:** liquid-gas

**pH AS SUPPLIED:** N/D

**pH (Other):**

**BOILING POINT:** N/D

F: -44-304 °F

C: -42.22-151 °C

**MELTING POINT:** N/D

F:

C:

**FREEZING POINT:** N/D

F:

C:

**VAPOR PRESSURE (mmHg):**

@ Estimate 18

F:

C:

**VAPOR DENSITY (AIR = 1):**

@ Heavier than air.

F:

C:

**SPECIFIC GRAVITY: (H<sub>2</sub>O = 1)**

@ N/A

F:

C:

**EVAPORATION RATE: (Butyl Acetate=1)**

Slower than ether.

**BASIS (=1):** N/D

**SOLUBILITY IN WATER:** N/A.

---

**SECTION 10: STABILITY AND REACTIVITY**

---

STABLE  
X

UNSTABLE

STABILITY: Stable

CONDITIONS TO AVOID (STABILITY): N/A.

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: May cause hazardous fumes when heated to decomposition. Fumes may contain carbon monoxide.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID (POLYMERIZATION): N/A.

SECTION 10 NOTES: N/A

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

---

OVER EXPOSURE: None when used in accordance with Safe Handling and Use Information

---

**SECTION 12: ECOLOGICAL INFORMATION**

---

ECOLOGICAL INFORMATION: Product is a mixture of listed components.

SECTION 12 NOTES: N/A

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

---

WASTE DISPOSAL METHOD: In accordance with Local, State and federal regulations.

RCRA HAZARD CLASS: N/D

---

**SECTION 14: TRANSPORT INFORMATION**

---

**U.S. DEPARTMENT OF TRANSPORTATION**

PROPER SHIPPING NAME: Paint Related Material, 3, UN 1263, PG III

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENT:

**WATER TRANSPORTATION**

PROPER SHIPPING NAME:

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

**AIR TRANSPORTATION**

PROPER SHIPPING NAME:

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

**OTHER AGENCIES:**

**SECTION 14 NOTES:**

---

**SECTION 15: REGULATORY INFORMATION**

---

**U.S. FEDERAL REGULATIONS**

**TSCA (TOXIC SUBSTANCE CONTROL ACT):**

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):**

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):**

**311/312 HAZARD CATEGORIES:**

**313 REPORTABLE INGREDIENTS:**

**STATE REGULATIONS:**

**INTERNATIONAL REGULATIONS:**

**SECTION 15 NOTES:**

---

**SECTION 16: OTHER INFORMATION**

---

**OTHER INFORMATION:**

**PREPARATION INFORMATION:**

**DISCLAIMER:** The information contained herein is based on data considered accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for personal injury or property damage to vendees, users or third parties caused by the material. We also do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.