



Production Car Care Products

Office (209) 943-7337

www.msdsatproduction.com

SAFETY DATA SHEET

FILE NO.: 57 SDS DATE: August 24, 2018

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Industrial Lacquer Thinner™
SYNONYMS: N/A
PRODUCT CODES:

MANUFACTURER: Production Car Care Products
DIVISION: N/A
ADDRESS: 1000 East Channel Street
Stockton, CA 95205

EMERGENCY PHONE: CANUTEC: (613) 996-6666
CHEMTREC PHONE: (800) 424-9300
OTHER CALLS: Office (209) 943-7337
FAX PHONE: (209) 943-7337

SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:
ROUTES OF ENTRY: Ingestion, Inhalation, Skin

POTENTIAL HEALTH EFFECTS

EYES: Irritation, redness, tearing, blurred vision, corneal burns.

SKIN: Dermatitis, irritation, drying, cracking, defatting.

INHALATION: Nasal, respiratory irritation, dizziness, fatigue, nausea, headache, asphyxiation.

INGESTION: Nausea, vomiting and diarrhea, Irritation, death.

ACUTE HEALTH HAZARDS: Irritation, nausea, vomiting and diarrhea.

CHRONIC HEALTH HAZARDS: death.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Poor general health.





CARCINOGENICITY

OSHA: 200 ppm, 1000 ppm, 200 ppm

ACGIH: 50 ppm (skin), 500 ppm, 400 ppm

NTP: N/L

IARC: N/L

OTHER:

SECTION 2 NOTES: N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:

Toluene

Acetone

Aliphatic Petroleum Distillates

Isopropanol

CAS NO.

108-88-3

67-64-1

64742-89-8

67-63-0

% WT

N/L

N/L

N/L

N/L

SARA 313 REPORTABLE

N/L

N/L

N/L

N/L

OSHA PEL:

200 ppm

1000 ppm

400 ppm

ACGIH TLV

TWA*

50 ppm (skin)

500 ppm

400 ppm

NTP

N/L

N/L

N/L

N/L

IARC

N/L

OSHA 1910 (Z)

N/L

EHS

N/L

LD50

N/A

LC50

N/A

SECTION 3 NOTE: *TWA: Time weighted average concentration of chemical for a normal 8-hour workday and 40 hour week to which nearly all workers are exposed with no adverse effects.

*Chemical subject to SARA Title III, Section 313 reporting. This notification must not be detached from this SDS, and any copies of this SDS must include this notification.

SECTION 4: FIRST AID MEASURES

EYES: Flush with large quantities of water lifting upper and lower lid.

SKIN: Wash thoroughly with soap and water after removing contaminated clothing.

INGESTION: Do not induce vomiting. This material is an aspiration hazard.

INHALATION: Remove to fresh air. If necessary give oxygen and/or artificial respiration.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: N/A

SECTION 4 NOTES: N/A

SECTION 5: FIRE-FIGHTING MEASURES

METHOD USED:

FLASH POINT: <-1.0 °F (TCC).

AUTO IGNITION TEMPERATURE: N/D

EXTINGUISHING MEDIA: Regular foam, carbon dioxide or dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus with a full face-piece operated in pressure demand or other positive pressure mode when fighting fires.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Residue may ignite - Vapor may travel.

SECTION 5 NOTES: N/A.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Absorb with sand or absorbent material. Prevent runoff to sewer or surface water.

SECTION 6 NOTES: N/A

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Keep product closed - Store away from heat or flame.

OTHER PRECAUTIONS: Keep out of reach of children- Handle as flammable liquid.

SECTION 7 NOTES: N/A.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

VENTILATION: Avoid using in closed area.

RESPIRATORY PROTECTION: Should wear if OSHA PEL/TLV is exceeded NIOSH/MSHA or other recognized approved air-supplied respirator.

EYE PROTECTION: Safety Spectacles.

SKIN PROTECTION: Protective gloves required.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Respiratory equipment.

WORK HYGIENIC PRACTICES: No eating, drinking or smoking. Wash up after use.

EXPOSURE GUIDELINES: N/A

SECTION 8 NOTES: N/A.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear thin liquid.

ODOR: Spirit like odor.

PHYSICAL STATE: Liquid.

pH AS SUPPLIED: N/D

pH (Other):

BOILING POINT: @760 mmHg

F: 133.0 F

C:

MELTING POINT: N/D

F:

C:

FREEZING POINT: N/D

F:

C:

VAPOR PRESSURE (mmHg):

@ 185.00 mmHg

F: 68 F

C:

VAPOR DENSITY (AIR = 1):

@ 1.00

F:

C:

SPECIFIC GRAVITY: (H₂O = 1)

@ 0.770

F:

C:

EVAPORATION RATE: (Butyl Acetate=1)

N/D

BASIS (=1): N/D

SOLUBILITY IN WATER: Soluble in water.

SECTION 10: STABILITY AND REACTIVITY

STABLE

X

UNSTABLE

STABILITY: Stable

CONDITIONS TO AVOID (STABILITY): Heat, Sparks and Flame.

INCOMPATIBILITY (MATERIAL TO AVOID): Avoid contact with: acetaldehyde, acids, chlorine, ethylene oxide isocyanates, and strong oxidizing agents. Do not use with aluminum equipment at temperatures above 120 degrees F.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon Dioxide, Carbon Monoxide and various hydrocarbons.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID (POLYMERIZATION): None.

SECTION 10 NOTES: N/A

SECTION 11: TOXICOLOGICAL INFORMATION

OVER EXPOSURE: Nausea - Irritation of eyes or Skin.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Product is a mixture of listed components.

SECTION 12 NOTES: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: In accordance with Local, State and federal regulations.

RCRA HAZARD CLASS: N/D

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: Paint Related Material, 3, UN 1263, PG II

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENT:

WATER TRANSPORTATION

PROPER SHIPPING NAME:

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

AIR TRANSPORTATION

PROPER SHIPPING NAME:

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

OTHER AGENCIES:

SECTION 14 NOTES:

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT):

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

311/312 HAZARD CATEGORIES:

313 REPORTABLE INGREDIENTS:

STATE REGULATIONS:

INTERNATIONAL REGULATIONS:

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER: The information contained herein is based on data considered accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for personal injury or property damage to vendees, users or third parties caused by the material. We also do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.