



Production Car Care Products
Office (209) 943-7337
www.msdsatproduction.com

SAFETY DATA SHEET

FILE NO.: 90 SDS DATE: August 24, 2018

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Quick, Slick & Easy™
SYNONYMS: N/A
PRODUCT CODES:

MANUFACTURER: Production Car Care Products
DIVISION: N/A
ADDRESS: 1000 East Channel Street
Stockton, CA 95205

EMERGENCY PHONE: CANUTEC: (613) 996-6666
CHEMTREC PHONE: (800) 424-9300
OTHER CALLS: Office (209) 943-7337
FAX PHONE: (209) 943-7337

SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:
ROUTES OF ENTRY: N/A

POTENTIAL HEALTH EFFECTS

EYES: Severe irritation, redness, tearing, blurred vision.

SKIN: Moderate irritation.

INGESTION: Nausea, vomiting, diarrhea.

INHALATION: Dizziness, nausea, headache.

ACUTE HEALTH HAZARDS: Eyes: Severe irritation, redness, tearing, blurred vision. Skin: Moderate irritation. Breathing: dizziness, nausea, headache. Ingestion: nausea, vomiting, diarrhea.

CHRONIC HEALTH HAZARDS: N/A.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Poor general health.





CARCINOGENICITYOSHA: 100 ppm, 100 ppm, 0.005mg/M³
IARC: N/LACGIH: 100 ppm, 100 ppm, 0.005mg/M³

NTP: N/L

OTHER: N/A

SECTION 2 NOTES: N/A.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:

Petroleum Distillates

*Xylene

Silica (Cristobalite)

CAS NO.
8052-41-3**% WT**
N/A**SARA 313 REPORTABLE**
N/A**OSHA PEL:**
100 pm, 100 ppm, 0.005mg/M³**ACGIH TLV**
100 ppm, 100 ppm, 0.005mg/M³**NTP**
N/A**IARC**
N/A**OSHA 1910 (Z)**
N/A**EHS**
N/A**LD50**
N/A
N/A
N/A**LC50**
N/A
rat-6700 ppm/4H
N/A

SECTION 3 NOTE: *Chemical subject to SARA Title III, Section 313 reporting. This notification must not be detached from this SDS, and any copies of this SDS must include this notification.

SECTION 4: FIRST AID MEASURES

EYES: Flush with water.**SKIN:** Wash with soap and water.**INGESTION:** Do not induce vomiting.**INHALATION:** Remove to fresh air. If breathing has stopped give artificial respiration.**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** N/A

SECTION 4 NOTES: N/A

SECTION 5: FIRE-FIGHTING MEASURES

METHOD USED:**FLASH POINT:** Propane 95 °F (TCC)

AUTO IGNITION TEMPERATURE: N/D

EXTINGUISHING MEDIA: Regular Foam, Carbon Dioxide or Dry Chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Residue may ignite - Vapor may travel.

SECTION 5 NOTES: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: If spilled absorb with sand or absorbent material and prevent runoff to sewer or surface water.

SECTION 6 NOTES: N/A

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Keep product closed - Store away from heat or flame.
OTHER PRECAUTIONS: Keep out of reach of children- Handle as a flammable liquid.

SECTION 7 NOTES: N/A

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: N/A.

VENTILATION: Avoid using in closed area.

RESPIRATORY PROTECTION: Should wear if OSHA PEL/TLV is exceeded NIOSH/MSHA or other recognized approved air-supplied respirator.

EYE PROTECTION: Safety spectacles.

SKIN PROTECTION: Protective gloves required.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Normally not needed.

WORK HYGIENIC PRACTICES: No eating, drinking or smoking. Wash up after.

EXPOSURE GUIDELINES: N/A

SECTION 8 NOTES: N/A.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Thin liquid (emulsion), white in color.

ODOR: Solvent-like odor.

PHYSICAL STATE: Liquid.

pH AS SUPPLIED: N/D

pH (Other):

BOILING POINT: N/D

F:

C:
MELTING POINT: N/D
F:
C:
FREEZING POINT: N/D
F:
C:
VAPOR PRESSURE (mmHg): N/D
@
F:
C:
VAPOR DENSITY (AIR = 1): N/D
@ >
F:
C:
SPECIFIC GRAVITY: (H2O = 1)
@ 0.81
F:
C:
EVAPORATION RATE: (Butyl Acetate = 1)
BASIS (=1): N/D
SOLUBILITY IN WATER: Not soluble.

SECTION 10: STABILITY AND REACTIVITY

STABLE
X

UNSTABLE

STABILITY: Stable

CONDITIONS TO AVOID (STABILITY): Heat, sparks and flame.

INCOMPATIBILITY (MATERIAL TO AVOID): Strong Oxidizing Agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon Dioxide, Carbon Monoxide, Various Hydrocarbons.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID (POLYMERIZATION): None.

SECTION 10 NOTES: N/A

SECTION 11: TOXICOLOGICAL INFORMATION

OVER EXPOSURE: Nausea - Irritation of Eyes or Skin.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Product is a mixture of listed components.

SECTION 12 NOTES: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: In accordance with Local, State and federal regulations.

RCRA HAZARD CLASS: N/D

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: Flammable Liquid, N.O.S., (Contains Petroleum Distillates), 3, UN 1993, PG III
HAZARD CLASS:
ID NUMBER:
PACKING GROUP:
LABEL STATEMENT:

WATER TRANSPORTATION
PROPER SHIPPING NAME:
HAZARD CLASS:
ID NUMBER:
PACKING GROUP:
LABEL STATEMENTS:

AIR TRANSPORTATION
PROPER SHIPPING NAME:
HAZARD CLASS:
ID NUMBER:
PACKING GROUP:
LABEL STATEMENTS:

OTHER AGENCIES:

SECTION 14 NOTES:

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT):

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

311/312 HAZARD CATEGORIES:

313 REPORTABLE INGREDIENTS:

STATE REGULATIONS:

INTERNATIONAL REGULATIONS:

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER: The information contained herein is based on data considered accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for personal injury or property damage to vendees, users or third parties caused by the material. We also do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

